No. F-W-11016/10/2022-JJM-IV-DDWS

Government of India Ministry of Jal Shakti Department of Drinking Water & Sanitation National Jal Jeevan Mission

4th Floor, 'Antyodaya' Bhavan, CGO Complex, Lodhi Road, New Delhi - 110 003 Dated: 29th June, 2022

To

Additional Chief Secretary/ Principal Secretary/ Secretary

Chairperson, State Level Scheme Sanctioning Committee, All States/ UTs

Subject: Clarifications on calculation of amount of community contribution under JJM - regarding

Madam/Sir,

As you are aware, to bring in 'sense of ownership and pride' among rural communities, provision of community contribution has been made under JJM. Paras 3.3(v), 6.1.2 & 7.11 of the Operational Guidelines for implementation of JJM provide that Community Contribution of 5%/10% of the capital cost of the Piped Water Supply Scheme (PWS) shall be deposited by the community for their respective PWS.

- 2. Meanwhile, this Department has received requests from States seeking clarifications regarding components to be considered for arriving at Community Contribution. In this connection, following is clarified:
 - i.) The amount of Community Contribution for a PWS should be assessed by applying the percentage (5% or 10%) as the case may be, on the cost of "in-village infrastructure"
 - "In-Village Water Supply Infrastructure", as described in "Definitions" section on page 5 of the Operational Guidelines for implementation of JJM, *inter-alia* provides a comprehensive description of all the components of the Village Water Supply Scheme. Further, page 38 of Chapter 6 of the Guidelines specifies about the components to be included in the "in-village infrastructure", for the purpose of assessing Community Contribution, both for the Single Village Schemes (SVS) and for the Multi Village Schemes (MVS). Accordingly, the costs of components other than those specified on page 38 of the Guidelines, such as greywater management & Operations and Maintenance costs etc., may be excluded for the purpose of assessing the Community Contribution.
 - iii.) The same is also applicable for the retrofitting schemes.
- 3. The formats for the JJM- IMIS data entry are also being accordingly simplified.
- 4. It is requested that the above clarifications are brought to the attention of all concerned. These provisions are to be scrupulously followed while considering the community contribution towards in-village infrastructure for rural water supply schemes.

5. This issues with the approval of competent authority.

Yours faithfully,

Under Secretary to Govt. of India

Ph: 011-2436 0287